

# Radio Button Grid: Allow One Answer Per Column

## Important Update to Custom Scripting

SurveyGizmo's CustomScript Action now supports the LUA programming language. Visit our [NEW Lua Scripting Resources](#)!

### Legacy Custom Scripting Language Deprecation Plans

1. New accounts (created after October 29, 2018) will only have the option to use Lua in scripts.
2. As of October 29, 2018 Custom Scripting Actions will default to Lua as the scripting type in the Custom Scripting Action for accounts created before this date. You will be able to switch to the Legacy Custom Scripting; though we highly encourage using Lua.
3. In the long term, Legacy Custom Scripting Actions will be switched to read-only. The exact date on this is to be determined; we will send notifications well ahead of time.

While we have a [Ranking Grid](#) question that automatically validates for a single answer per column there are some scenarios where you might wish to apply this type of validation to a [Radio Button Grid](#) question.

For example, in a Ranking Grid question the column headers are automatically created based on the number of rows (items to be ranked). So, if you have seven rows, the column headers will be automatically created as 1-7. Unfortunately, there is not a way to customize this in a Ranking Grid question.

Check it out in an [example survey](#) !

OR

Add a survey with this setup to your account!

This workaround uses the following features:

- [Radio Button Grid](#) Question Type
- [JavaScript](#) Action

## Setup

Start by building out your Radio Button Grid question. Once you've added your question title, row and column headers head over to the **Layout** tab and scroll to the **CSS Class Name** field and enter the following class name: **onePerColumn**.

Next, add a JavaScript action to the same page and paste the below JavaScript and click **Save Action**.

```
//Relies on a CSS class name onePerColumn being applied to the table.

$(document).ready(function(){
  $(".onePerColumn :radio").change(function(){
    var col = $(this).attr("value");

    $(".onePerColumn :radio[value='" + col +
    "']:checked").not(this).each(function(){
      $(this).prop('checked', false);
    });

  });
});
```

Now, record a few test responses and make sure your validation works as it should!

Scripting and Other Custom Solutions

We're always happy to help you debug any documented script that is used as is. That said, we do not have the resources to write scripts on demand or to debug a customized script.

If you have customization ideas that you haven't figured out how to tackle, we're happy to be a sounding board for SurveyGizmo features and functionality ideas that might meet your customization. Beyond this, you might want to consult with someone on our [Programming Services Team](#); these folks might have the scripting chops to help you to achieve what you are looking for!

Author: Dave Domagalski    Share This Article:

Last updated: 07/15/2016 5:00 pm EDT